

# **Notice of References Cited**

Application No.  
**09/441,654**

Applicant(s)  
**CHAN et al.**

Examiner  
**Gabriel E. Bugalsky**

Group Art Unit  
**1653**

Page 1 of 1

## **U.S. PATENT DOCUMENTS**

	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS
A					
B					
C					
D					
E					
F					
G					
H					
I					
J					
K					
L					
M					

## **FOREIGN PATENT DOCUMENTS**

	DOCUMENT NO.	DATE	COUNTRY	NAME	CLASS	SUBCLASS
N	98/33920	6/1998	WO	GENTZ et al	----	---
O						
P						
Q						
R						
S						
T						

## **NON-PATENT DOCUMENTS**

	DOCUMENT (Including Author, Title, Source, and Pertinent Pages)	DATE
u	KAWAGUCHI et al. Purification and cloning of hepatocyte growth factor activator inhibitor type 2, a Kunitz-type serine protease inhibitor. J. Biol. Chem. 272(44): 27558-27564.	10/1997
v	GRIBBEN et al. Development of antibodies to unprotected glycosylation sites on recombinant human GM-CSF. Lancet (ENGLAND) 335 (8687): p434-7,	2/1990
w	HOTCHKISS et al. The influence of carbohydrate structure on the clearance of recombinant tissue-type plasminogen activator. Thrombosis and haemostasis (GERMANY, WEST) 60 (2): p255-61	10/1988
x	PETERSEN et al. Inhibitory properties of separat recombinant Kunitz-type-protease-inhibitor domains from tissue-factor-pathway inhibitor. European journal of biochemistry (GERMANY) 235 (1-2): p310-6,	1/1996